Table 3. Estimates of combined lead and zinc production from the Southeast Missouri Barite District and Valles Mines, and the Southeast Missouri Lead District [lead or zinc content of ore is the tons of I furnaces; lead or zinc produced is the tons of lead or zinc produced from the furnaces; these estimates do not include lead recovered during barite mining, the amount of which is unknown; --, No produ available]

SOUTHEAST MISSOURI BARITE		^a Washingt	on County	L		^a Jefferson (County			^b St. Franco	s County		Southeast Mis
DISTRICT AND VALLES MINES	Lead		Zinc		Lead		Zinc		^c Lead				
	content	Lead	content	Zinc	content of	Lead	content	Zinc	content	Lead	Zinc content	Zinc	Lead content
	of ore	produced	of ore	produced	ore	produced	of ore	produced	of ore	produced	of ore	produced	of ore
	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)	(tons)
^{a,b} Winslow (1894), modified													
to 1799	19,000	9,500							0	0			19,000
1800-1819	28,500	17,100			333	200			0	0			28,833
1820-1829	16,130	10,000			2,420	1,500			4,842	3,000			23,392
1830-1849	38,460	25,000			7,200	4,680			26,154	17,000			71,814
1850-1859	18,555	13,000			4,500	3,150			11,428	8,000			34,483
1860-1869	4,285	3,000			2,000	1,400			5,286	3,700	200	67	11,571
1870-1879	13,000	9,100	10,000	3,333	4,000	2,800	3,000	1,000	4,286	3,000	26,512	8,837	21,286
1880- ^d 1893	23,000	<u>16,100</u>	<u>4,000</u>	<u>1,333</u>	<u>6,210</u>	<u>4,347</u>	<u>31,561</u>	<u>10,520</u>	<u>1,820</u>	<u>1,274</u>	<u>=</u>	<u>=</u>	<u>31,030</u>
^e Total for district through 1893	161,000	103,000	14,000	4,700	27,000	18,000	35,000	12,000	54,000	36,000	27,000	9,000	241,000

Wharton (1975)

Total for district, through 1948

^fWharton (1975), modified

Total for district, through 1948

Total for history of Southeast Missouri Barite District and Valles Mines

^g277,000

^h SOUTHEAST MISSOURI LEAD DISTRICT (through 2011)	Tons of Ore	Percent Lead	Lead content of ore
			(tons)

	Period of Production			
Old Lead Belt Subdistrict	1864-1972	263,000,000	2.9	7,600,000
ⁱ Viburnum Trend Subdistrict	1960- ⁱ 2011	300,000,000	5.8	17,400,000
Mine LaMotte Subdistrict	1720-1961	15,000,000	3.9	600,000
Indian Creek Subdistrict	1954-1985	32,000,000	3.6	1,200,000
Annapolis Subdistrict	1915-1931	<u>1,200,000</u>	<u>2.3</u>	<u>30,000</u>
^h Total Production from Southeast Missouri Lead District (through 2011)			4.4	26,830,000

^aData for Washington and Jefferson Counties are from Winslow (1894)

^bData for St. Francois County through 1893 are modified from Winslow (1894) by removing estimated production from the Old Lead Belt.

^cThe lead content of the ore for St. Francois County was estimated by applying the lead recovery percentage in Winslow (1894) for all of St. Francois County to the estimated lead produced in St. Francois estimated lead production from the Old Lead Belt

d1892 for Jefferson County

^eTotal production data are rounded

fadds 6,000 tons of zinc production to Wharton's (1975) zinc production; Winslow (1894) estimated 5,666 tons of zinc production that was not included in Wharton's (1975) estimate from the Valles Min general recovered by furnaces (65% for lead, 33% for zinc) to the tons of metal produced.

^hData from Schott (2012); production from the Irondale Subdistrict is not included

ⁱData are through 2011; production from the Viburnum Trend continues to the current time (2016)

ead or zinc in the ore fed to the ction or no production figure

ssouri Barite District					
	Zinc				
Lead	content	Zinc			
produced	of ore	produced			
(tons)	(tons)	(tons)			
9,500					
17,300					
14,500					
46,680					
24,150					
8,100	200	67			
14,900	39,512	13,170			
21,721	<u>35,561</u>	<u>11,853</u>			
157,000	75,000	25,000			
100.000		F 4 000			
180,000		54,000			
180,000		60,000			
180,000	^g 180,000	60,000			
5	Zinc				
Percent zinc	content of ore				
-	(tons)				
	(tolis)				

0.3	800,000	
1.1	3,300,000	
0.4	100,000	
=	<u></u>	
0.7	4,200,000	

s County after removing

nes.